

Accession: 20-FP

Phone: 1-800-878-3787

Fax: 1-425-251-0637

 Received: **2/20/2020**

 Completed: **2/24/2020**

 Reported: **2/25/2020**

 DIAGNOSTECHS, INC
 DIAGNOS TECHS
 840 S 333rd St
 Federal Way, WA 98003

Results For: SAMPLE REPORT, MALE PATIENT -

 Age: **17** DOB: **1/1/2003**

 Sex: **M**

Patient's Tel:

Ref. ID:

 Specimen Collected: **2/18/2020**

Code	Test Name	Result/Notes	Reference Values/Key
FP	Food Panel - Saliva		
FI1	Milk (casein) Ab, sIgA (saliva)*	Positive	<i>Normal: Negative</i>
FI2	Soy (protein) Ab, sIgA (saliva)*	Negative	<i>Normal: Negative</i>
FI3	Egg (ovalbumin) Ab, sIgA (saliva)*	Negative	<i>Normal: Negative</i>
FI4	Gluten (gliadin) Ab, sIgA (saliva)*	14 Borderline	<i>Borderline: 13-15 U/ml Positive: > 15 U/ml</i>
	Notes on Gliadin Ab Test: Gliadins and closely related proteins are found in wheat, rye, barley and other grains. These proteins may trigger an immune reaction in some individuals. Patients on a gluten-free diet who have not been exposed to gluten for 3 months or longer should have a negative sIgA response to gliadin.		
MB2S	Total salivary sIgA	18 Normal	<i>Borderline Low: 5-9 mg/dL Normal: 10-20 mg/dL Borderline High: 21-25 mg/dL</i>
	General Information About sIgA: 1. Secretory IgA (sIgA) is the predominant antibody found on mucosal membranes throughout the body. 2. sIgA exists as a dimer of two individual IgA combined with a secretory component that helps protect sIgA from enzymatic degradation. 3. One main function of sIgA is immune exclusion, binding to antigens and preventing their adherence and admittance into the body. Typically, sIgA moderates the mucosal inflammatory response.		
* Salivary secretory IgA (sIgA) should be considered a screening test for possible food sensitivities. A negative sIgA response does not rule out adverse reactions to a specific food. A positive or borderline sIgA response may warrant further diagnostic workup and/or dietary elimination trial in some individuals.			

Remarks:

SAMPLE REPORT

Diagnosis Code(s): Not Provided To The Lab

Results and comments above are intended for informational purposes and should not be construed as medical advice. Use this report in context of the clinical picture and patient history before initiating any treatment.

 For additional resources, including testing guidelines, result interpretation, and treatment protocols, please login to our website at www.diagnostechs.com and select Resources -> Provider Tools.

COURTESY INTERPRETATION of test and technical support are available upon request, to Physicians Only.