

Accession: 25-4308
 Phone: 1-800-878-3787
 Fax: 1-425-251-0637

Received: 2/18/2025
 Completed: 2/27/2025
 Reported: 2/27/2025

DIAGNOSTECHS, INC
 840 S 333rd St
 Federal Way, WA 98003

Results For: SAMPLE REPORT, FEMALE PATIENT -
 Age: 59 DOB: 1/1/1966 Sex: F
 Patient's Tel:
 Ref. ID:
 Specimen Collected: 2/18/2025

Salivary Toxic Metals & Elements Panel

Potentially Toxic Elements

Element	Result (ng/mL)	Reference (ng/mL)	
Silver (Ag)	<dl	< 0.351	
Aluminum (Al)	<dl	< 27.8	
Arsenic (As)	0.09	< 1.36	
Barium (Ba)	0.29	< 12.4	
Beryllium (Be)	<dl	< 0.022	
Cadmium (Cd)	<dl	< 0.100	
Cesium (Cs)	3.68	< 6.44	
Gadolinium (Gd)	<dl	< 0.010	
Mercury (Hg)	<dl	< 0.936	
Lead (Pb)	<dl	< 0.326	
Palladium (Pd)	0.05	< 0.130	
Platinum (Pt)	<dl	< 0.216	
Antimony (Sb)	0.07	< 0.303	
Tin (Sn)	<dl	< 3.70	
Thorium (Th)	0.22	< 0.106	
Titanium (Ti)	<dl	< 26.8	
Thallium (Tl)	0.14	< 0.172	
Uranium (U)	0.01	< 0.050	
Tungsten (W)	<dl	< 1.41	
Zirconium (Zr)	<dl	< 0.962	

Salivary Toxic Metals & Elements Panel

Essential and Trace Elements

Element	Result (ng/mL)	Reference (ng/mL)	
Cobalt (Co)	<dl	< 0.858	
Chromium (Cr)	0.86	< 0.760	
Copper (Cu)	1.68	0.953 - 23.3	
Iron (Fe)	4.66	2.00 - 37.8	
Lithium (Li)	8.12	1.37 - 20.2	
Manganese (Mn)	1.37	0.150 - 24.1	
Molybdenum (Mo)	0.39	0.022 - 0.837	
Nickel (Ni)	<dl	< 3.39	
Rubidium (Rb)	1308.31	482 - 1500	
Selenium (Se)	1.85	0.407 - 4.16	
Strontium (Sr)	17.73	4.66 - 124	
Vanadium (V)	0.05	< 0.50	
Zinc (Zn)	52.30	4.00 - 175	

Other Essential Elements

Element	Result (mcg/mL)	Reference (mcg/mL)	
Calcium (Ca)	28.81	20.6 - 78.7	
Magnesium (Mg)	3.85	2.27 - 14.3	
Phosphorus (P)	211.63	103 - 370	

DiagnosTechs, Inc. has researched, developed and validated the performance characteristics of this test. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Results reflect only elements measured in the oral fluid.

To help understand your results, please login to your DiagnosTechs account and select "Understanding TME Results" from the Welcome page or navigate to <https://www.diagnostechs.com/providers/DTIClient/PDF/UnderstandYourResults.pdf>.

<dl: Less than detection limit.

Diagnosis Code(s): Not Provided To The Lab

Results and comments above are intended for informational purposes and should not be construed as medical advice. Use this report in context of the clinical picture and patient history before initiating any treatment.

For additional resources, including testing guidelines, result interpretation, and treatment protocols, please login to our website at www.diagnostechs.com and select Resources -> Provider Tools.

Accession: 25-4308
 Phone: 1-800-878-3787
 Fax: 1-425-251-0637




















Received: 2/18/2025
 Completed: 2/27/2025
 Reported: 2/27/2025

DIAGNOSTECHS, INC
 840 S 333rd St
 Federal Way, WA 98003

Results For: SAMPLE REPORT, FEMALE PATIENT -
 Age: 59 DOB: 1/1/1966 Sex: F
 Patient's Tel:
 Ref. ID:
 Specimen Collected: 2/18/2025

Urinary Toxic Metals & Elements Panel

Potentially Toxic Elements

Element	Result (mcg/g Creat.)	Reference (mcg/g Creat.)	
Silver (Ag)	<dl	< 0.300	
Aluminum (Al)	<dl	< 19.5	
Arsenic (As)	19.00	< 89.0	
Barium (Ba)	5.65	< 12.2	
Beryllium (Be)	<dl	< 0.030	
Cadmium (Cd)	0.71	< 0.753	
Cesium (Cs)	9.74	< 12.3	
Gadolinium (Gd)	<dl	< 0.441	
Mercury (Hg)	0.20	< 1.14	
Lead (Pb)	0.38	< 1.41	
Palladium (Pd)	0.53	< 0.175	
Platinum (Pt)	0.27	< 0.700	
Antimony (Sb)	0.05	< 0.200	
Tin (Sn)	0.17	< 2.22	
Thorium (Th)	0.11	< 0.550	
Titanium (Ti)	<dl	< 8.00	
Thallium (Tl)	0.21	< 0.643	
Uranium (U)	<dl	< 0.030	
Tungsten (W)	<dl	< 2.00	

Urinary Toxic Metals & Elements Panel

Essential and Trace Elements

Element	Result (mcg/g Creat.)	Reference (mcg/g Creat.)	
Cobalt (Co)	<dl	< 2.50	
Chromium (Cr)	<dl	< 1.44	
Copper (Cu)	11.09	3.14 - 18.8	
Iron (Fe)	4.47	1.94 - 41.8	
Lithium (Li)	125.81	6.76 - 154	
Manganese (Mn)	<dl	0.050 - 1.15	
Molybdenum (Mo)	72.49	6.71 - 104	
Nickel (Ni)	2.49	< 6.50	
Rubidium (Rb)	1103.96	380 - 2540	
Selenium (Se)	45.40	17.5 - 120	
Strontium (Sr)	1016.97	35.2 - 480	
Vanadium (V)	0.04	< 0.500	
Zinc (Zn)	312.01	65 - 1000	

Other Essential Elements

Element	Result (mg/g Creat.)	Reference (mg/g Creat.)	
Calcium (Ca)	237.45	17.1 - 322	
Magnesium (Mg)	155.82	20.0 - 220	

Urine Creatinine	Result (mg/mL)	Reference (mg/mL)	
Creatinine	0.59	0.269 - 2.58	

DiagnosTechs, Inc. has researched, developed and validated the performance characteristics of this test. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Results reflect only elements measured in the urine.

To help understand your results, please login to your DiagnosTechs account and select "Understanding TME Results" from the Welcome page or navigate to <https://www.diagnostechs.com/providers/DTIClient/PDF/UnderstandYourResults.pdf>.

<dl: Less than detection limit.

Diagnosis Code(s): Not Provided To The Lab

Results and comments above are intended for informational purposes and should not be construed as medical advice. Use this report in context of the clinical picture and patient history before initiating any treatment.

For additional resources, including testing guidelines, result interpretation, and treatment protocols, please login to our website at www.diagnostechs.com and select Resources -> Provider Tools.